
## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



# The Bellevue Nursery

TRADE-LIST OF

**AMERICAN** 



# Plants and Shrubs



COLLECTED AND GROWN BY

### WM. F. BASSETT & SON

HAMMONTON \* New Jersey, U. S. A.

### REMARKS.

THE PAST SEASON has been one of the best we have had in many years, having had no drought. Everything has made a good growth. In consequence, we can offer the finest lot of shrubs and plants we have ever grown. We have a particularly fine stock of the following shrubs:

CLETHRA ALNIFOLIA,
ANDROMEDA MARIANA,
" ARBOREA,
CHIONANTHUS VIRGINICA,
ROSA LUCIDA,

SYMPHORICARPOS VULGARIS, LYCIUM VULGARE, MAGNOLIA GLAUCA, AZALEA VISCOSA, ROSA CAROLINA.

Our specialty is collecting plants from their native haunts. We spare neither time nor expense in hunting the best localities where good, young, thrifty plants of the different species can be found. We collect plants in New Jersey, Pennsylvania, Delaware and Maryland. This collecting is all done by skilled men in our employ. The plants so obtained are not to be compared with "cheap collected plants," pulled up by irresponsible parties, at so much per thousand. Our plants are carefully handled from the time they are dug until they reach the purchaser.

#### TO OUR EUROPEAN FRIENDS.

We have a good list of European customers, which is growing every year. To those intending to purchase American plants, we would point out the advantage of getting stock that has been freshly dug, and not kept in storage. Our plan of collecting stock as it is wanted enables us to send all plants in a fresh, growing condition. Where possible, it is better for our European customers to order in the Fall as it enables us to ship everything in a dormant condition. Where an order covers a long list of plants, it always takes some time to collect them. Often, to get together a single order, our collectors must travel several hundred miles. We are enabled to do this by handling a large quantity of plants in the aggregate. Our packing is done very carefully, and we ship plants to all European countries with great success.

### TERMS.

THE PRICES in this Catalogue are net, except that when cash is sent with the order 5 per cent may be deducted. Orders for 6, 50 and 500 are billed at the rates per dozen, 100 and 1,000. Where long lists of plants are wanted in less lots than 6 of a kind, prices must be taken from our Retail Catalogue, from which we allow the trade 20 per cent discount.

**COLLECTED PLANTS.** This is our specialty. We aim to get the very best plants obtainable, especially in those species that are difficult to transplant. It must be remembered, however, that we assume no responsibility in regard to the growth of these plants, other than to agree to collect the best obtainable plants of the different species.

PACKING is done in a very thorough manner, using the best material. No extra charge is made for this except on very large stock, listed "Packing Extra."

BILLS are due in 30 days from date of invoice.

ORDER EARLY. In order to give us time to collect the plants, all orders for this class of stock should be sent in as early in the season as possible.

WM. F. BASSETT & SON, Hammonton, New Jersey, U. S. A.

### New Plants.

#### NEW SNOW WHITE CENTROSEMA.

"White Lady."

In this we have one of the most beautiful of hardy climbers. The flowers are nearly 2 inches across, pure snow white, and borne in great profusion throughout the

summer. The variety originated with us, and was obtained by selection. The flowers are shaped like immense sweet peas, only inverted. We have tested it here for 3 years, and we are fully satisfied that it is a plant of great value. It grows freely from roots, which we offer at \$1.50 per doz., \$8 per 100.

#### **NEW VARIEGATED** CENTROSEMA.


"Feathered Gem."

This also originated with us, and is a lovely form, with deep blue flowers broadly banded with white. This white band is more or less feathered into the blue, making a rich combination. It is very distinct, and we can highly recommend it. Both this and the last make rich growing vines, climbing 6 to 8 feet. Strong roots, \$1.50 per doz., \$8 per 100.

#### NEW TYPE CENTROSEMA.

(Seed.)

This strain of seed produces about one-third each of the pure snow white form, the bordered form and the common blue. The plants of the white form can be distinguished as soon as up by their light-colored foliage. This seed is large, plump, and dark colored. It is saved from the "Feathered Gem" form. We offer this strain of seed at \$18 per 1b., \$5 per 1/1b.



NEW SNOW WHITE CENTROS EMA.

#### SEED OF THE PURE WHITE FORM.

The Pure White form is a very sparing seeder, and is of inferior quality and light colored. We have a moderate amount of it, on which we will quote price on application.

#### NEW DOUBLE RUDBECKIA,

"Golden Glow."

This proves to be a very distinct and beautiful plant. The flowers are 3 inches in diameter and round as a ball. It grows from 4 to 6 feet high, and is covered with



these immense golden balls. It is valuable as a cut flower, or as a border plant. We offer strong, field-grown plants at 80 cts. per doz., \$5 per 100, \$40 per 1,000.

#### SPIRÆA TOMENTOSA ALBA.

A new Spircea tomentosa, with pure white flowers. It is a distinct and valuable addition to the list of Spirceas. Transplanted plants, \$1 per doz., \$6 per 100

### TRILLIUM GRANDIFLORUM ROSEUM.

A distinct form of *Trillium grandi*florum, with flowers varying from light pink to deep rose. This new Trillium was discovered by us in 1894, and since then we have fully tested it to satisfy

ourselves of its merit. We believe it to be a very distinct variety, and possibly a distinct species. It is a very strong grower, with bulbs twice the size of *T. grandiflorum*, and


with foliage more like *T. erectum*. The flowers are very large, and vary from light pink to deep rose when they open, afterward turning to deeper rose. We have bloomed about 3,000 of them, with *T. grandiflorum* for comparison, and find it in every way a more desirable Trillium, growing much stronger and making more flowers to a plant, while the color is remarkably distinct. 75 cts. per doz., \$4 per 100.

#### CRIMSON EYE HIBISCUS.

This is the finest type of the hardy *Hibiscus moscheutos*. It was introduced by us in 1891, and has taken its place as a standard plant. The flowers are of immense size, often 8 inches in diameter, snow white, with a large, velvety crimson spot in the center. The type sent out by us is remarkable for the size and fullness of the flowers, the purity of the white, and the richness of the crimson spot. No other form yet offered can compare with it in beauty. We offer strong, 2-year plants, very heavy, at 60 cts. per doz., \$2.50 per 100, \$18 per 1,000. Lighter plants, for mailing, 50 cts. per doz., \$2 per 100, \$15 per 1,000. New crop seed, 30 cts. per oz., \$2.50 per lb.

#### CENTROSEMA VIRGINICA.

This is the original type of Centrosema. It is a lovely climber, with large, blue, sweet-pea-like flowers, two inches in diameter. It blooms the first year from seed. It also grows freely from roots. Good, strong roots, 80 cts. per 100, \$7.50 per 1,000. Seed, 40 cts. per 02., \$3 per 1b.



SPIR.EA TOMENTOSA ALBA. (See opposite page.)

#### AQUILEGIA CŒRULEA X A. CANADENSIS.

We have a beautiful strain of these Aquilegias crossed with *A. Canadensis*. The Canadensis blood has produced some remarkably beautiful colors. Some are double, some semi-double, and others single. We offer strong plants at 75 cts. per doz., \$4 per 100. Seed, 35 cts per ½02., 10 cts. per trade packet.

#### RUDBECKIA FULGIDA.

This is one of the finest of the Rudbeckias. The flowers are of medium size, deep yellow, with a rich purple center or button. It grows 2 to 3 feet, and is very floriferous. Strong plants, 80 cts. per doz, \$5 per 100.

#### GENERAL LIST OF

### HARDY PERENNIALS.

Varieties in full-faced type are nursery-grown; others are collected plants.						
			Per doz	. 100	1,000	
Achillea	, The Pearl		. \$0 40	\$2 50	\$20 00	
6.6	millefolium roseum		. 60	4 00		
6.6	tomentosa		. 60	4 00		
2	Aster patens		. 50	2 00	15 00	
6	" concolor		. 75	4 00	35 00	
an Now	spectabilis		. 50	2 50	20 00	
1 20	" nemoralis		. 80	5 00		
	" linariifolius		. 50	I 50	12 00	
	" Tradescanti	i	. 40	2 50	20 00	
	" longifolius		. 75	4 co		
	" Nova=Angla	e	. 75	3 50		
	Anthemis tind	toria	. 75	3 50		
	Apios tuberosa .		. 30	I 00	8 00	
	Arenaria squarros	a		3 00	25 00	
	" lateriflor		. I 00	6 00	-5	
	Anemone nemoros	sa	. 75	3 00		
AOUILEGI	A CŒRULEA Anemonella thalic		. 60	3 00		
	Aquilegia Canadei	1sis		2 00	15 00	
Aquileg	ia cœrulea hybrida		. 75	4 00	10 00	
	anadensis		. 80	5 00		
	inosa		. 50	I 80	I2 00	
	_		-	5 00	40 00	
66	obtusifolia		. 60	3 00	40.00	
4.6	incarnata		. 50	2 50	20 00	
6.6	" pulchra		. 50	2 50	20 00	
6.6	rubra		. 2 00	- 5-		
Aplectrum	hyemale		. 80	4 00		
-			. 40	I 50	IO 00	
	lracontium			4 00		
Acorus ca	lamus		. 50	I 50	10 00	
	marginale		. 50	2 00	15 00	
4.6	thelypteris			2 00	15 00	
4.4	novaboracensis		. 50	2 00	15 00	
6.6	acrostichoides		. 50	2 00	15 00	
6.6	cristatum		. 80	4 00	-0	
6.6	spinulosum		. 75	3 00	25 00	
Aspleniun	ebeneum		. 50	2 00	15 00	
"	trichomanes		. 75	3 00	10 00	
Adjantum	pedatum		. 75	3 00	25 00	
	on macrourus		. 50	2 00	-0 -4	
	Pickeringii		1 00	6 00		
	inctoria		. 75	2 50	20 00	
	peltata		50	2 00	15 00	
	m Virginicum		. 80	4 00	0	



CYPRIPEDIUM SPECTABILE.

	Per doz		1,000
Boltonia latisquamæ	. <b>\$0</b> 80	\$5 00	
Coreopsis lanceolata	. 50	2 50	\$20 00
" grandiflora ("Harvest Moon") .	. I OO	7 50	
Chrysopsis Marianna	. 50	2 50	20 00
" falcata	. 75	5 00	
Convallaria majalis		2 00	
Clintonia borealis		3 00	
Calopogon pulchellus	. 50	3 00	
Cypripedium acaule	. 60	3 00	
" spectabile	. 175	10 00	
" pubescens	I 25	8 00	
Cunilla Marianna	. 60	3 00	
Calystegia pubescens fl. pl.		1 50	
" sepium	. 40	I 00	
Chelone glabra		3 00	
Chimaphila maculata		3 00	
" umbellata	. 75	4 00	
Caltha palustris	. 60	3 00	25 00
Calla palustris		4 <b>o</b> o	
Cimicifuga racemosa		3 00	20 00
Claytonia Virginica	. 60	2 00	
Cassia Marylandica	. 60	2 00	18 00
Calamagrostis brevipilis	. 60	3 00	

Plants in this type are nursery-grown; in this type, collected.



CALYSTEGIA PUBESCENS. (See page 7.)

	Per	doz. 100	1,000
Calamagrostis Nuttallina	. \$1	00 \$6 00	
Centrosema Virginica (roots)		80	\$7 50
Camptosorus rhizophyllus		60 3 00	
Discorea villosa		60 3 00	
Dracocephalum Virginicum		60 3 00	
Dicentra cucullaria		60 2 00	15 00
" Canadensis		75 3 00	
Drosera filiformis		60 I 50	10 00
" rotundifolia		60 3 00	
" intermedia		60 3 00	
Dentaria laciniata		60 3 00	
Dicksonia pilosiuscula		60 2 00	15 00
Eriocaulon gnaphalodes		50 I 50	
" decangulare		60 2 00	
" septangulare		75 3 00	
Erythronium Americanum		60 2 50	20 00
Euphorbia corollata		60 3 00	25 00
" ipecacuanhæ,		50 2 00	
Elodes Virginica		60 3 00	
Epilobium angustifolium		60 3 00	
Eupatorium aromaticum		80 4 00	
" ageratoides		75 3 00	

Plants in this type are nursery-grown; in this type, collected.

Eupatorium purpureum. 60 cents per dozen, \$2 per 100, \$18 per 1,000. Eriophorum gracile. 75 cts. per doz., \$4 per 100. Eriophorum Virginicum, 60 cts. per doz., \$2 per 100. Eryngium Virginicum. 75 cts. per doz., \$3 per 100, \$25 per 1,000. Erianthus allopecuroides. cts. per doz., \$3 per 100, \$25 per 1,000. Eulalia gracillima. 50 cts. per doz., \$2 per 100, \$18 Eulalia Japonica zebrina. 60 cts. per doz., \$2.50 per 100, \$18 per 1,000. FUNKIA THOS. HOGG. Funkia lancifolia. 60 cts. per doz., \$3 per 100. TOO T.000 80 \$5 00 75 \$25 00 6 00 6 00 66 5 00 3 00 8 00 Geranium maculatum . . . . . . . . . . . . 2 50 . . I 00 5 00 6 6 . . I OO 4 00 3 00 Houstonia cœrulea . . . . . . . . 50 2 00 Helianthus divaricatus 60 2 00 15 00 60 3 00 75 4 50 40 00 46 lætiflorus. 60 2 50 20 00 giganteus . . . 60 3 00 Helianthus Maximilianii. 80 cts. per doz., \$5 per 100. Helenium autumnale. 60 cts. per doz., \$2 per 100, \$15 per 1,000. Hibiscus moscheutos. 6g cts. per doz., \$3 per 100, \$20 per 1,000. Hibiscus moscheutos Crimson **Eye.** 60 cts. per doz., \$2.50 per 100, \$18 per 1,000. Hibiscus moscheutos Rose Pink.

Plants in this type are nursery-grown; in this type, collected.

FUNKIA SUBCORDATA.

60 cts. per doz., \$3 per 100, \$20 per 1,000.

**Hibiscus militaris.** 80 cts. per doz.



NYMPHÆA ODORATA MINOR. (See page 11.)

NIMITEA ODORATA MINOR.	(See page 11.)
	Per doz. 100 1,000
Hepatica triloba	\$0 60 \$2 00 \$15 00
" acutiloba	60 2 50 20 00
Helonias bullata	85 4 00 30 00
Habenaria ciliaris	
" blephariglottis	70 4 00
" tridentata	75 4 00
" cristata	
Hemerocallis fulva	60 2 00 15 00
" flava	85 5 00
" Dumortieri	85 5 00
Heuchera Americana	50 2 00 15 00
Ipomœa pandurata	
Iris prismatica	60 2 00 15 00
" versicolor	60 I 50 I2 00
" Germanica	_
" pumila	75
Lobelia cardinalis	60 1 75 12 00
" syphilitica	75 2 00
Liatris graminifolia	
" spicata	
" punctata	
Lythrum salicaria superba	
Lysimachia clethroides	
" nummularia	60 2 00 18 00
" punctata	60 3 00
" ciliata	60 3 00
" quadrifolia	-
" stricta	
Lymnanthemum lacunosum	
Lophiola aurea	
Lupinus perennis	
Liparis liliifolia	1 50 8 00
I 111	
	73 3 3 = == ==

Lilium Philadelphicum. 80 cents per dozen, \$4 per 100.

Mitchella repens. 50 cents per dozen, \$1.50 per 100, \$12 per 1,000.

Mikania scandens. 60 cts. per doz., \$3

per 100.

Mertensia Virginica, 60 cts. per doz., \$2 per 100, \$18 per 1,000.

Nymphæa odorata. 75 cts. per doz., \$3 per 100, \$25 per 1,00.

Nymphæa odorata minor. 75 cts. per doz., \$3 per 100, \$25 per 1,000.

**Nuphar advena.** 60 cts. per doz., \$3 per 100.

Nepeta glechoma. 50 cts. per doz., \$2 per 100.

Nesæa verticillata. 60 cts. per doz., \$3 per 100.

Oxalis violacea. 60 cts. per doz., \$3 per 100,



HOUSTONIA CŒRULEA. (See page 9.)

Ornithogaium umbeliatum. 40 cts. per		
doz., \$1.50 per 100, \$10 per 1,000.	doz. 10	0 1,000
Orontium aquaticum	90 \$6	00 \$45 00
Opuntia Rafinesquii	_	50 10 00
Œnothera fruticosa	60 2	00 18 00
" major	75 3	00
Onoclea sensibilis	60 2	00 15 00
" struthiopteris	70 4	00
Osmunda regalis	00 6	00 50 00
" cinnamomea		00 50 00
"Claytoniana	85 4	00
Podophyllum peltatum	60 2	00 15 00
Pyrola elliptica	60 <b>2</b>	00
" rotundifolia	60 3	00
" chlorantha	60 2	00
Pyxidanthera barbullata	75 3	00 25 00
Phlox maculata		50
" divaricata		00 25 00
Dhlay subulata	60 cte	ner doz



ORONTIUM AQUATICUM.

Phlox subulata. 60 cts. per doz., \$2.50 per 100.

Pogonia ophioglossoides. 60 cts. per doz., \$2 per 100.

Pardanthus Chinensis. 50 cts. per doz., \$3 per 100, \$20 per 1,000.

Pontederia cordata. 75 cts. per doz., \$4 per 100, \$30 per 1,000.

Peltandra Virginica. \$1.50 per doz., \$8 per 100, \$60 per 1,000.

**Pentstemon** barbatus **Torreyi.** 75 cts. per doz., \$4.50 per 100. Pentstemon pubescens. 60 cents per dozen, \$2.50 per 100, \$20 per 1,000.



SARRACENIA PURPUREA.

Plumbago Larpentæ. 60 cts. per doz., \$4 per 100, \$35 per 1,000.

Panicum virgatum. 60 cts. per doz., \$2 per 100, \$15 per 1,000.

Phragmites communis. 75 cts. per doz., \$4 per 100, \$35 per 1,000.

Phegopteris hexagonoptera. 60 cts. per doz., \$3 per 100.

Polypodium vulgare. 60 cts. per doz., \$2 per 100, \$15 per 1,000.

Pteris aquilina. 60 cts. per doz., \$2 per 100, \$15 per 1,000.

Rhexia Virginica. 60 cts. per doz., \$3 per 100, \$20 per 1,000.

SARRACENIA PURPUREA.	Rudbecka hirta. 6oc. per doz., \$2.50 per
	IOO, \$20 per I,000. Per doz. 100 1,000
Rudbecka laciniata	
" nitida	
" speciosa	80 5 00
" fulgida	80 5 00
" laciniata fl. pl. (Gold	
Solidago Canadensis	60 <b>2</b> 50
" tenuifolia	
" odora	
" sempervirens	60 2 50 20 00
" virgata	
" puberula	
" altissimum	
" nemoralis	
Sedum acre	60 2 00 15 00
" ternatum	
Sarracenia purpurea	50 2 00 I5 00
Silene Pennsylvanica	
" stellata	
Sclerolepis verticillata	75 4 00
Sabbatia lanceolata	
" chloroides	75 4 00
Salvia lyrata	60 2 00 15 00
Smilacina racemosa. 75 cts. per doz	
100, \$25 per 1,000.	0 0 0
7 1.6.1.	


Smilacina bifolia. 75 cts. per doz., \$3 per 100, \$25 per 1,000.

Sagittaria variabilis. 50 cts. per doz., \$2 per 100, \$18 per 1,000.

Sanguinaria Canadensis. 60 cts. per doz., \$2 per 100, \$18 per 1,000.


Scirpus Eriophorum. 60 cts. per doz., \$3 per

Typha latifolia. 60 cts. per doz., \$2 per 100, \$15 per 1,000.



OPUNTIA RAFINESQUII. (See p. 11.)





TRADESCANTIA VIRGINICA.

XEROPHYLLUM ASPHODELOIDES.

		P	er doz.	100	1,000
Typha angustifolia			\$0 <b>6</b> 0	<b>\$2 0</b> 0	\$15 00
Thalictrum dioicum,	 		75	3 50	30 00
" cornuti			75	3 00	25 00
Tradescantia Virginica			60	<b>2</b> 50	20 00
" . " alba			75	3 50	
" fl, pl			I 00		
Tephrosia Virginica			60	2 00	18 00
Trillium erectum			60	3 00	
" album			75	4 00	
" grandiflorum	 		60	<b>2</b> 50	20 00
" roseum			75	4 00	
Vernonia novaboracensis			60	2 50	20 00
Viola pedata			50	I 50	IO <b>O</b> O
" bicolor			80	5 00	
" cucullata			50	I 50	10 00
" palmata			75	2 50	
" primulæfolia			75	2 50	
Veronica officinalis			50	2 00	18 00
			75	3 00	25 00
Woodwardia Virginica			60	2 00	15 00
" angustifolia			60	2 50	20 00
Xerophyllum asphodeloides			75	5 00	40 00
" (Collected			60	2 CO	15 00
Yucca filamentosa			80	. 3 50	30 00

### TREES, SHRUBS AND WOODY CLIMBERS.

•						
A meta etambarila a como constitución (C. 1)	1 ( 1)			er doz.	100	1,000
Arctostaphylos uva-ursi. (Coll				<b>\$0 00</b>	\$2 OO	\$15 00
- Ml -M			anadensis.	60	2 00	T. 00
	Amelan	chier C	anadensis	00	2 00	15 00
	rotun		(Coll'ted)	60	2 50	20 00
			tryapium.			
				60	3 50	30 00
		_	uticosa .	60	2 00	
		rubrum	1. 4 to 5 ft.	80	4 00	
	66	4.	3 to 4 ft.	75	3 00	
	66	16 Domes a -	2 to 3 ft.	50	2 50	15 00
	cum		v <b>l va n i-</b> 2 ft	8o	4 00	
			(Coll'ted)	60	3 50	30 00
			(Coll'ted)	60	2 00	30 00
	"		=Andræ.	00	2 00	
	(Colle	ected) .		60	2 00	
	Ampe	lopsis	quin-			
	que	folia. 2	years	60	3 00	
	Ampelo	psis qui	inquefolia.			
	(Colle	cted)		50	2 00	15 00
Akebia quit	ıata.	2 years, h	eavy	75	5 00	45 00
" " " " " " " " " " " " " " " " " " "	6 6	ı year		60	4 00	35 00
Andromeda	Maria	nna. 2	ft., bushy .	75	4 00	35 00
Electrical Control of the Control of	66		t., bushy .	60	3 00	25 00
ANDROMEDA MARIANNA.	6.6	(Col	llected)	60	2 00	15 00
44	racen	nosa. 1	to 2 ft	75	3 50	30 00
Andromeda racemosa. (Collect	ed)			60	2 50	20 00
" ligustrina. I to				75	3 50	30 <b>0</b> 0
" (Col	lected)			60	2 50	20 00
Andromeda calyculata.				75	3 00	25 00
66 66				60	2 00	15 00
" arborea. 3 to				1 00	6 00	50 00
Andromeda arborea Per do	z. 100	1,000			1 2 Leter	
2 to 3 ft		\$35 00	Patto S	20		
Andromeda polyfo-			- The state of the			The R
lia. 2 years. Bushy. 75	4 00	35 co	BASOS BASOS	DIC.	MXXX	
Azalea viscosa. 1 to		2	1.6.6.	190	NY A	
2 ft. Bushy, in bud 1 00	7 50	60 00 🕅	IN CONTRACTOR		XXX	
Azalea viscosa, 1 ft.	4.00	05.00	440000 P			
Light		35 00		<b>公</b> 學		
Azalea viscosa. (Collected) 60	0	25 00			N X	
madifioras (con tea)	3 <b>0</b> 0	<b>2</b> 5 00				
<b>Betula populifolia.</b> 4 to 5 ft 1 00	6 <b>o</b> o		40 36	2		
Betula populifolia.	3 00			7		
3 to 4 ft	4 00			-	V.	
Betula populifolia. I to 2 ft.	4 00		ANDROME	DA	T. ELAN	
(Collected) 50	I 50	10 00	CALYC			J.W.
Betula nigra. 3 to 4 ft. 75	-					11,
3 0 1 70						

Betula nigra. (Collected.) 60 cents per dozen, \$3 per roc  'lenta. (Collected.) 60	o, \$20 pe	r I,000.	
cts. per doz., \$2.50 per 100,	P.M.		
\$18 per 1,000.	5	A o	
Baccharis halimifolia, (Col-	Zui Mi		1/2
lected.) 60 cts. per doz., \$3	Wall and		
per 100, \$25 per 1,000.			
Corylus Americana. (Col-			
lected.) 60 cts. per doz.,			
\$3 per 100, \$20 per 1,000.	189	1	
Corylus rostrata. (Collected.)		8	
75 cts. per doz., \$4 per 100.		1	
Carpinus Americana. (Col-			
lected.) 60 cts. per doz.,		1	
\$3.50 per 100, \$30 per 1,000.		S 9	
ft. Heavy. 75 cts. per doz.,			
\$4 per 100.		d	
Cornus florida. (Collected.)			
60 cts. per doz., \$3 per 100			
\$20 per 1,000.			A <sub>d</sub>
Cornus cericea. (Collected.)		X X	7
60 cts. per doz., \$2.50 per AZALEA VISCOSA. (Se	ee opposit	e page.	)
100, \$20 per 1,000.			
Cornus cericea. A special lot	Per doz.	100	1,000
of collected plants. 2 to 3 ft. Bushy, with from 4 to			
stems. Collected from upland. A fine lot			
-		\$10 00	
Cornus alternifolia. (Collected)	. 60	3 00	\$25 00
Cornus alternifolia. (Collected)	. 60 . I 00	3 00 6 00	\$25 00
Cornus alternifolia. (Collected)	. 60 . 1 00	3 00 6 00 4 00	
Cornus alternifolia. (Collected).  '' stolonifera. 2 years  '' i year  '' paniculata. (Collected).	. 60 . 1 00 . 75 . 60	3 00 6 00 4 00 3 00	\$25 00 <b>2</b> 5 00
Cornus alternifolia. (Collected)  stolonifera. 2 years  if year  paniculata. (Collected)  circinata. 1 to 2 ft	. 60 . I 00 . 75 . 60 . 75	3 00 6 00 4 00 3 00 4 50	25 00
Cornus alternifolia. (Collected)  '' stolonifera. 2 years  '' ' year  '' paniculata. (Collected)  '' circinata. I to 2 ft  '' (Collected)	. 60 . 1 00 . 75 . 60 . 75 . 60	3 00 6 00 4 00 3 00 4 50 3 50	
Cornus alternifolia. (Collected)  '' stolonifera. 2 years  '' ' I year  '' paniculata. (Collected)  '' circinata. I to 2 ft.  '' (Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.	. 60 . I 00 . 75 . 60 . 75 . 60	3 00 6 00 4 00 3 00 4 50 3 50 4 00	<b>2</b> 5 00 30 00
Cornus alternifolia. (Collected)  '' stolonifera. 2 years  '' if year  '' paniculata. (Collected)  '' circinata. I to 2 ft.  '' (Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.  '' '' (Collected)	. 60 . 1 00 . 75 . 60 . 75 . 60 . 80	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00	25 00
Cornus alternifolia. (Collected)  '' stolonifera. 2 years  '' '	. 60 . 1 00 . 75 . 60 . 75 . 60 . 80 . 60	3 00 6 00 4 00 3 00 4 50 3 50 4 00	25 00 30 00 25 00
Cornus alternifolia. (Collected)  '' stolonifera. 2 years  '' if year  '' paniculata. (Collected)  '' circinata. I to 2 ft.  '' (Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.  '' '' (Collected)	. 60 . 1 00 . 75 . 60 . 75 . 60 . 80 . 60 . 50	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 I 50	25 00 30 00 25 00 10 00
Cornus alternifolia. (Collected)  '' stolonifera. 2 years  '' if year  '' paniculata. (Collected)  '' circinata. I to 2 ft.  '' (Collected)  Cephalanthus occidentalis. I to 2 ft. Strong  '' (Collected)  Comptonia asplenifolia. (Collected)  Cupressus thyoides. (Collected.) I to 2 ft.  Chionanthus Virginica. 3 ft. Strong  '' 2 to 3 ft.	. 60 . 1 00 . 75 . 60 . 75 . 60 . 80 . 60 . 50 . 50	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 I 50 I 50	25 00 30 00 25 00 10 00
Cornus alternifolia. (Collected)  '' stolonifera. 2 years  ''	60 1 00 75 60 75 60 80 60 50 50 1 25 75	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 I 50 I 50 I 2 00	25 00 30 00 25 00 10 00
Cornus alternifolia. (Collected)  "stolonifera. 2 years  "paniculata. (Collected)  "circinata. I to 2 ft.  "(Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.  "(Collected)  Comptonia asplenifolia. (Collected)  Cupressus thyoides. (Collected)  Cupressus thyoides. (Collected.) I to 2 ft.  Chionanthus Virginica. 3 ft. Strong  "2 to 3 ft.  "4 1 to 2 ft.  "5 Seedlings, 6 to 10 in., france in the strong in the stron	60 1 00 75 60 75 60 80 60 50 50 1 25 75 15. 60	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 I 50 I 2 00 8 00	25 00 30 00 25 00 10 00 10 00
Cornus alternifolia. (Collected)  "stolonifera. 2 years  "paniculata. (Collected)  "circinata. I to 2 ft.  "(Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.  "(Collected)  Comptonia asplenifolia. (Collected)  Cupressus thyoides. (Collected)  Cupressus thyoides. (Collected.) I to 2 ft.  Chionanthus Virginica. 3 ft. Strong  "2 to 3 ft.  "4 1 to 2 ft.  "5 Seedlings, 6 to 10 in., france in the from seed bed.  "6 from seed bed.	60 1 00 75 60 75 60 80 60 50 50 1 25 75 60 75 60 75 75 60 75 75 60 75 75 60 75 75 60 75 75 60 75 75 60 75 75	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 I 50 I 2 00 8 00 5 00 3 00	25 00 30 00 25 00 10 00 10 00 70 00 40 00 25 00
Cornus alternifolia. (Collected)  "stolonifera. 2 years  "	. 60 . I 00 . 75 . 60 . 75 . 60 . 80 . 50 . 50 . 2 00 . I 25 . 75 . 60	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 1 50 1 2 00 8 00 5 00 3 00 1 00	25 00 30 00 25 00 10 00 10 00 70 00 40 00 25 00 8 00
Cornus alternifolia. (Collected)  "stolonifera. 2 years  "paniculata. (Collected)  "circinata. I to 2 ft.  "(Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.  "(Collected)  Comptonia asplenifolia. (Collected)  Cupressus thyoides. (Collected)  Cupressus thyoides. (Collected.) I to 2 ft.  Chionanthus Virginica. 3 ft. Strong.  "2 to 3 ft.  "1 to 2 ft.  "4 Seedlings, 6 to 10 in., 1rail  "4 "5 Seedlings, 6 to 10 in., 1rail  "5 "from seed bed years.  Clethra alnifolia. 2 to 3 ft. Heavy.	60 1 00 75 60 75 60 80 60 50 50 1 25 75 60 75 60 75 75 60 75 75 60 75 75 60 75 75 60 75 80 80	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 1 50 1 2 00 8 00 5 00 3 00 1 00 3 50	25 00 30 00 25 00 10 00 10 00 70 00 40 00 25 00 8 00 30 00
Cornus alternifolia. (Collected)  "stolonifera. 2 years  "i paniculata. (Collected)  "circinata. I to 2 ft.  "(Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.  "(Collected)  Comptonia asplenifolia. (Collected)  Cupressus thyoides. (Collected)  Cupressus thyoides. (Collected.) I to 2 ft.  Chionanthus Virginica. 3 ft. Strong.  "2 to 3 ft.  "4 I to 2 ft.  "5 Seedlings, 6 to ro in., frant.  "6 "6 Seedlings, 6 to ro in., frant.  "6 "6 "6 Seedlings, 6 to ro in., frant.  "7 "6 "6 "6 "6 "6 "6 "6 "6 "6 "6 "6 "6 "6	60 1 00 75 60 75 60 80 60 50 50 1 25 75 60 75 60 75 75 60 75 75 60 75 75 60 75 75 60 75 60 75 60 60 60 60 60 60 60 60 60 60 60 60 60	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 1 50 1 2 00 8 00 5 00 3 00 1 00 3 50 2 50	25 00 30 00 25 00 10 00 10 00 70 00 40 00 25 00 8 00 30 00 20 00
Cornus alternifolia. (Collected)  "stolonifera. 2 years  "i paniculata. (Collected)  "circinata. I to 2 ft.  "(Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.  "(Collected)  Comptonia asplenifolia. (Collected)  Cupressus thyoides. (Collected)  Chionanthus Virginica. 3 ft. Strong.  "2 to 3 ft.  "4 I to 2 ft.  "5 Seedlings, 6 to 10 in., 1ran  "6 "6 Seedlings, 6 to 10 in., 1ran  "6 "6 "6 Seedlings, 6 to 10 in., 1ran  "7 "6 "6 "6 "6 "6 "6 "6 "6 "6 "6 "6 "6 "6	. 60 . I 00 . 75 . 60 . 75 . 60 . 80 . 50 . 50 . 2 00 . I 25 . 75 . 18. 60 80 80	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 I 50 I 2 00 8 00 5 00 3 00 I 00 3 50 2 50 2 00	25 00 30 00 25 00 10 00 70 00 40 00 25 00 8 00 30 00 20 00
Cornus alternifolia. (Collected)  "stolonifera. 2 years  "paniculata. (Collected)  "circinata. I to 2 ft.  "(Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.  "(Collected)  Comptonia asplenifolia. (Collected)  Cupressus thyoides. (Collected). I to 2 ft.  Chionanthus Virginica. 3 ft. Strong.  "2 to 3 ft.  "1 to 2 ft.  "Seedlings, 6 to 10 in., france.  """  """  """  """  """  """  """	60 1 00 75 60 75 60 80 60 50 75 75 60 75 75 75 60 75 75 75 60 75 75 75 75 75 75 75 75 75 75 75 75 75	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 1 50 1 2 00 8 00 5 00 3 00 1 00 3 50 2 50	25 00 30 00 25 00 10 00 10 00 70 00 40 00 25 00 8 00 30 00
Cornus alternifolia. (Collected)  "stolonifera. 2 years  "paniculata. (Collected)  "circinata. I to 2 ft.  "(Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.  "(Collected)  Comptonia asplenifolia. (Collected)  Cupressus thyoides. (Collected)  Chionanthus Virginica. 3 ft. Strong.  "2 to 3 ft.  "4 I to 2 ft.  "5 Seedlings, 6 to ro in., frantification of the component of	60 1 00 75 60 80 60 50 75 75 60 80 60 75 75 60 80 60 75 75 60 80 60 75 80 60 75 60 80 60 75 60	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 1 50 1 2 00 8 00 5 00 3 50 2 50 2 00 3 50	25 00 30 00 25 00 10 00 10 00 70 00 40 00 25 00 8 00 30 00 20 00 15 00
Cornus alternifolia. (Collected)  "stolonifera. 2 years  "paniculata. (Collected)  "circinata. I to 2 ft.  "(Collected)  Cephalanthus occidentalis. I to 2 ft. Strong.  "(Collected)  Comptonia asplenifolia. (Collected)  Cupressus thyoides. (Collected)  Cupressus thyoides. (Collected). I to 2 ft.  Chionanthus Virginica. 3 ft. Strong.  "2 to 3 ft.  "4 I to 2 ft.  "5 Seedlings, 6 to ro in., france in the seed bed years.  "6 To 2 ft. Heavy.  "7 To 2 ft. Heavy.  "8 I to 2 ft. Heavy.  "9 (Collected).  Clematis Virginica. I year. Strong.  "9 (Collected).	60 1 00 75 60 80 60 50 75 18 60 75 60 75 60 75 60 75 60 75 60 75 60 75	3 00 6 00 4 00 3 00 4 50 3 50 4 00 3 00 1 50 1 2 00 8 00 5 00 3 50 2 50 2 50 2 50	25 00 30 00 25 00 10 00 70 00 40 00 25 00 8 00 30 00 20 00 15 00



ITEA VIRGINICA. (See opposite page.)

	Per doz.	100	1,000
Ceanothus Americanus, (Collected)		\$3 50	\$30 00
Cercis Canadensis. (Collected)	. 75	4 00	30 00
Cratægus parvifolia. (Collected)	. 60	•	
Cratægus parvirona. (Confected) , , , , , , , , , , , , , , , , , , ,	. 00	3 00	25 00
" crus=galli, (Collected)	• 75	4 50	
Diospyros Virginiana. (Collected)		2 00	15 00
Diervilla trifida. 2 ft., transplanted		3 00	20 00
" (Collected)		2 00	18 <b>0</b> 0
Epigæa repens. Collected seedlings, with ball		6 oo	
Euonymus Americanus. 2 ft., 3 years, transplanted	l. 75	3 50	
" (Collected)	. 60	2 50	20 00
<b>obovatus.</b> (Collected)	. 60	2 00	18 00
" radicans. 2 years	· 75	3 50	
" variegata. 2 years	. 75	3 50	
<b>Europæus.</b> 3 to 4 ft., bushy		5 00	
" I to 2 ft		2 50	
Fagus ferruginea. (Collected)	. 60	2 50	20 00
Fraxinus Americanus. (Collected)	. 75	3 00	25 00
Forsythia Fortunei. Transplanted, 2 to 3 ft	. 75	4 00	
Gaylussachia frondosa. (Collected)	. 60	3 00	25 00
" resinosa. (Collected)	. 60	2 00	15 00
" Dumosa. 6 to 8 in., bushy	. 75	3 50	
" (Collected)	. 60	2 50	20 00
Gaultheria procumbens. (Collected)		I 50	IO 00
Hamamelis Virginica. 1 to 2 ft., transplanted		5 00	
" (Collected)	. 60	3 50	30 00
Hypericum densiflorum. (Collected)		I 50	10 00

P	er doz.	100	1,000
Hydrangea arborescens. 2 ft., transplanted	\$0 75	\$5 00	
" (Collected)	60	3 00	\$25 00
Hudsonia ericoides. (Collected)	60	2 00	15 00
tomentosa. (Collected)	60	2 50	20 00
Iva frutescens. (Collected)	60	3 00	25 00
Itea Virginica. 3 to 4 ft., transplanted	I 25		
1 to 2 ft., transplanted	65	3 00	25 00
(Concetted)	50	2 50	20 00
Ilex glabra. 8 to 12 in. (Collected)	60	3 00	20 00
Tit. With Bail. (Concetted)	3 00	17 00	
2 it. with ball. (Concetted)	6 00	40 00	
opaca. Tr., transplanted. (Heaves removed)	1 50		25 00
(Confected, reaves removed)	75 8 -	3 50	25 00
verticinata. (concetta)	85	5 00	40 OC
	50	2 00	15 00
<b>Kalmia latifolia.</b> I to 2 ft. Bushy, transplanted	75	3 00	25 00
" (Collected.) 2 ft. Bushy, with ball.	3 00	20 00	
" (Collected.) 6 to 12 in	2 50	20 00	20 00
" angustifolia, 2 ft. Bushy. (Collected)	I 25	5 00	20 00
" (Collected.) I ft	60	2 00	15 00
Leiophylium buxifolium. 6to 8 in. Bushy, with ball.		2 00	15 00
3 years, transplanted		8 00	
(Collected.) 6 to 8 in.	60	2 00	15 00
Ligustrum, California Privet. 3 to 4 ft	75	3 50	15 00
"	60	3 00	
66 66 1 to 2 ft	50	2 00	18 00
Liquidambar styraciflua. 6 to 8 ft. Fine straight trees.	3 00	20 00	10 00
5 to 6ft. " " "	2 00	15 00	
4 to 5 ft. " "	I 25	8 00	
3 to 4 ft. " "	90	5 00	40 00
" (Collected.)	60	2 00	15 00
Liriodendron tulipifera. 6 to 8 ft. Fine straight trees.	3 00	20 00	
5 to 6 ft. " "	2 00	15 00	
4 to 5 ft. " "	I 25	8 00	
66 3 to 4 ft. " " "	90	5 00	40 00
" (Collected.)	50	2 00	12 00
Lycium vulgare. 2 to 3 ft	60	2 50	20 00
Lonicera Halleana, 2 years, strong	75	4 00	35 00
i year	60	3 00	25 00
" brachypoda, (Collected)	60	3 00	25 00
Lindera Benzoin. 3 ft. Bushy. (Fine stock.)	80	6 00	
" (Collected.)	60	3 00	25 00
Magnolia glauca. 18 to 24 in. Bushy and fine	2 00	10 00	
12 to 18 in. Bushy	1 50	7 50	
" 8 to 12 in	80	4 00	
" (Collected.)	75	3 00	25 00
Myrica cerifera. (Collected seedlings.)	60	2 50	20 00
" (Collected layers.)	60	2 00	15 00
" gale. (Collected plants.)	75	3 50	30 00



HYDRANGEA ARBORESCENS. (See page 17.

TIDEMITODA ARBORDSCENS, (See page 1	( - )		
	Per doz.	100	1,000
Menispermum Canadense, 2 years, transplanted	. \$0 75	\$3 50	
" (Collected)	. 60	2 50	\$20 00
Nyssa multiflora. (Collected seedlings)	. 60	3 00	20 00
Ostrya Virginica. (Collected)	. 75	4 50	40 00
Prunus maritima. (Nursery-grown seedlings.) 2 ft.	. 75	3 50	30 00
" (Collected)	. 60	2 50	20 00
serotina. (Collected)	. 60	2 50	20 00
" Virginiana. (Collected)	60	3 00	<b>2</b> 5 00
" pumila. (Collected)	. 75	3 50	30 00
Pyrus arbutifolia. I to 2 ft., transplanted		3 50	30 00
" (Collected.) Fine plants	. 60	2 00	18 00
" melanocarpa. (Black-fruited.) A beautiful pro			
trate form. 2 years, transplante	ed 75	3 50	30 00
" (Collected)	. 60	2 00	18 00
Platanus Orientalis. 5 to 8 ft	. I 50	9 00	
4 to 5 ft	. I OO	7 00	
Potentilla fruticosa. 2 ft., transplanted. Bushy		4 00	
" (Collected)	. 50	2 50	20 00
Pinus rigida. (Collected seedlings).	. 50	I 50	12 00
" mitis. (Collected seedlings)	. 50	I 50	12 00
" inops. (Collected seedlings)	. 75	2 00	15 00
Rhus copallina. 2 ft., transplanted. Bushy		3 50	
" (Collected)	. 50	2 00	15 00
" glabra. (Collected)	· 75	2 50	18 00
" typhina. (Collected)	· 75	2 50	20 00
Robinia hispida. (Collected)	. 60	3 00	25 00
Rubus odoratus. Transplanted	. 75	3 00	
(Confected)		2 00	15 00
maplates. Transplanted	· 75	2 00	
(Confected)	. 50	I 50	IO 00
Canadensis. (Confected)	. 50	I 50	10 00
" cuneifolius. (Collected)	. 50	2 00	15 00

Rosa Carolina. 2 yea	ars transplanted	Per doz.	100 \$3 00	1,000
" (Collected)		. 60	2 00	\$18 oo
" lucida. 2 years,	transplanted	. 75	4 00	35 00
" (Collect	ed)	. 50	2 00	18 00
" nitida. 2 years,	transplanted	. и 25	7 50	
" Blanda. 2 years	, transplanted	. 80	6 00	
" setigera. Trans	planted layers	. и 25	8 00	
" humilis. (Collected	1)	• 75	3 00	25 00
Rhododendron max	ximum. 2 years, transplanted	; . I 25	6 00	
Rhododendron maximum.			2 25	18 00
"	Extra large collected specimens 2 to 6 ft. Price on application			
	lgaris. 2 to 3 ft., transplanted	. 75	3 00	25 00
46	" 18 to 24 in., "	. 60	<b>2</b> 50	20 00
46	" 12 to 18 in., "	. 50	2 00	16 00
" rac	cemosa, 1 ft	· 75	3 50	30 <b>0</b> 0
Spiræa tomentosa.	I to 2 ft., transplanted	. 75	2 50	<b>2</b> 0 00
"	(Collected)	. 60	2 00	15 00
66	alba. Transplanted	. 1 00	6 00	
•	lected)	. 60	3 00	<b>2</b> 0 00
	cted)	. 60	3 00	25 00
Sassafras officinalis	4 to 6 ft.; transplanted; bushy		• • • •	×0 00
Smilax rotundifolia. (Coll	(Collected)	. 50	2 00	18 00
" Walterii. (Collecte		. 40 . 1 00	6 00	15 00
Tecoma radicans.		. 50	2 50	20 00
Vaccinium corymbo		. 80	4 00	20 00
" "	(Collected)	. 60	3 00	25 00
" Pennsylvan	icum. (Collected)	. 60	3 00	25 00
	(Collected)	. 60	2 00	15 00
" staminer	`	. 80	5 00	10 00
44 44	(Collected)	. 75	4 00	30 00
" macrocarpo	,	. 50	I 50	10 00
Viburnum acerifolium. (Co	` ,	. 60	3 00	25 00
" dentatum.	to 4 ft., transplanted	. I 00	7 50	·
"	to 3 ft., transplanted	. 80	5 00	
" " (	Collected)	. 60	3 50	30 00
" prunifolium, (C	Collected)	. 60	3 00	25 00
" cassinoides.	I to 2 ft., transplanted	. 75	5 00	
44	(Collected)	. 60	3 50	30 00
" nudum. (Collec	eted)	. 60	3 00	25 00
" pubescens. (Co	ollected)	. 75	4 00	
Xanthoxylum Amer		80	5 00	
• •	(Collected)	• 75	4 00	30 00
MISC	ELLANEOUS ARTICLES	Per	large	Per 10
Fibrous Peat	LLLANEOUS ANTICLES		rrel	barrels \$8 00
Rotted Peat	• • • • • • • • • • • • • • • • • • • •	<b>\$</b> 0		8 00
Silver Sand	• • • • • • • • • • • • • • • • • • • •		90 90	8 00
Sphagnum Moss			80	
Green Moss, for decorating			00	7 50
G. Con Moss, for decorating		1	50	9 00



DICENTRA CUCULLARIA. (See page 8.)